

ALUMINUM PROFILE

General Catalog 2016



Contact :

Siriporn Boonrodsamphun (099)151-6688




E-mail : marketing@appcon.co.th

www.appcon.co.th

**Solar Farm
Production
Infrastructure**



Robot Machine



<u>Content</u>	<u>Page</u>
Aluminum Standard Frame	1
Standard Bracket	6
Nut and Screw	17
Extrusion End Caps and Slot Cover	21
Adjuster Pads	24
Door Panel and Accessories	31



Aluminum Standard Frame

Aluminum Standard Frame 2020



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-2020-L	ASF-2020-F	6063-T5	Clear Anodize	0.49	0.74×10^4	0.74×10^4

Example of order:

Part Number	–	L
-------------	---	---

ASF-2020-80 (for Configurable Length)

ASF-2020-F (for Fixed Length)

Aluminum Standard Frame 2040



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-2040-L	ASF-2040-F	6063-T5	Clear Anodize	0.88	5.12×10^4	1.36×10^4

Example of order:

Part Number	–	L
-------------	---	---

ASF-2040-80 (for Configurable Length)

ASF-2040-F (for Fixed Length)

Aluminum Standard Frame 3030



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-3030-L	ASF-3030-F	6063-T5	Clear Anodize	0.90	2.83×10^4	2.83×10^4


Example of order:

Part Number	-	L
-------------	---	---

ASF-3030-80 (for Configurable Length)

ASF-3030-F (for Fixed Length)

Aluminum Standard Frame 3060



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-3060-L	ASF-3060-F	6063-T5	Clear Anodize	1.6	20.56×10^4	5.33×10^4

Example of order:

Part Number	-	L
-------------	---	---

ASF-3060-80 (for Configurable Length)

ASF-3060-F (for Fixed Length)

Aluminum Standard Frame 6060



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-6060-L	ASF-6060-F	6063-T5	Clear Anodize	2.63	41.4×10 ⁴	41.4×10 ⁴

Example of order:

Part Number	–	L
-------------	---	---

ASF-6060-80 (for Configurable Length)

ASF-6060-F (for Fixed Length)

Aluminum Standard Frame 4040



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-4040-L	ASF-4040-F	6063-T5	Clear Anodize	1.73	10.4×10 ⁴	10.4×10 ⁴


Example of order:

Part Number	–	L
-------------	---	---

ASF-4040-80 (for Configurable Length)

ASF-4040-F (for Fixed Length)

Aluminum Standard Frame 4080



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-4080-L	ASF-4080-F	6063-T5	Clear Anodize	2.8	72.4×10 ⁴	19.92×10 ⁴


Example of order:

Part Number – L

ASF-4080-80 (for Configurable Length)

ASF-4080-F (for Fixed Length)

Aluminum Standard Frame 8080



Part Number		Material	Surface Treatment	Unit Mass Kg/m	Cross Sectional Moment of Inertia mm ⁴	
Configurable Length (L=50-4,000mm.)	Fixed Length (L=4,000mm.)				I _x	I _y
ASF-8080-L	ASF-8080-F	6063-T5	Clear Anodize	4.57	182.5×10 ⁴	182.5×10 ⁴

Example of order:

Part Number – L

ASF-8080-80 (for Configurable Length)

ASF-8080-F (for Fixed Length)




Standard Bracket

Tabbed Bracket 20




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTA20	ADC12	20	11	ASCM5-10	2	ANTT20 / ANTE20 / ANTF20	2

Thick Bracket 20



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTK20	6063-T5	20	15	ASCM5-10	2	ANTT20 / ANTE20 / ANTF20	2

Thin Bracket 20



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTN20	6063-T5	20	4	ASCM5-8	2	ANTT20 / ANTE20 / ANTF20	2

Blind Bracket 20




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABB20	Stainless	20	11	M4×5 (included)	2	-	-

Tabbed Bracket 30




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTA30	ADC12	30	13	ASCM6-12	2	ANTT30 / ANTE30 / ANTF30	2

Thick Bracket 30



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTK30	6063-T5	30	44	ASCM6-15	2	ANTT30 / ANTE30 / ANTF30	2

Thin Bracket 30




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTN30	6063-T5	30	14	ASCM6-12	2	ANTT30 / ANTE30 / ANTF30	2

Blind Bracket 30



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABB30	Stainless	30	26	M6×8 (included)	2	-	-

Angled Bracket 30



Part Number	Material	Angled (degree)	Compatible Frame	Mass (g)	Applicable Screw and Nut			
					Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
AB45AN30	6063-T5	45	30	58	ASCM6-15	2	ANTT30 / ANTE30 / ANTF30	2
AB135AN30	6063-T5	135	30	68	ASCM6-15	2	ANTT30 / ANTE30 / ANTF30	2

Free Angle Brackets 30




Part Number	Material	Connection	Compatible Frame	Mass (g)	Applicable Screw and Nut					
					Screw	Q'ty	Double Joint	Q'ty	T-Nut	Q'ty
ABFANS30	6063-T5	Side	30	33	ASCM6-14	2	ADJA30	2	ANTT30	2
					ASCM5-25	2				
ABFANC30	6063-T5	Cross	30	35	ASCM5-25	4	ADJA30	4	-	-

Tabbed Bracket 40




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTA40	ADC12	40	54	ASCM8-20	2	ANTT40 / ANTE40 / ANTF40	2

Thick Bracket 40



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTK40	6063-T5	40	66	ASCM8-20	2	ANTT40 / ANTE40 / ANTF40	2

Thin Bracket 40




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTN40	6063-T5	40	34	ASCM8-15	2	ANNT40 / ANTE40 / ANTF40	2

Blind Bracket 40



Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABB40	Stainless	40	70	M8×10 (included)	2	-	-

Angled Bracket 40




Part Number	Material	Angled (degree)	Compatible Frame	Mass (g)	Applicable Screw and Nut			
					Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
AB45AN40	6063-T5	45	40	88	ASCM8-20	2	ANTT40 / ANTE40 / ANTF40	2
AB135AN40	6063-T5	135	40	103	ASCM8-20	2	ANTT40 / ANTE40 / ANTF40	2

Free Angle Brackets 40




Part Number	Material	Connection	Compatible Frame	Mass (g)	Applicable Screw and Nut					
					Screw	Q'ty	Double Joint	Q'ty	T-Nut	Q'ty
ABFANS40	6063-T5	Side	40	97	ASCM8-20	2	ADJA40	2	ANTT40	2
					ASCM6-35	2				
ABFANC40	6063-T5	Cross	40	98	ASCM6-35	4	ADJA40	4	-	-

Tabbed Bracket60




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTA60	ADC12	60	65	ASCM6-12	8	ANTT30 / ANTE30 / ANTF30	8

Thick Bracket 60




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTK60	6063-T5	60	111	ASCM6-14	4	ANTT30 / ANTE30 / ANTF30	4

Thin Bracket 60




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
ABTN60	6063-T5	60	35	ASCM6-12	4	ANTT30 / ANTE30 / ANTF30	4

Angled Bracket 60





Part Number	Material	Angled (degree)	Compatible Frame	Mass (g)	Applicable Screw and Nut			
					Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
AB45AN60	6063-T5	45	60	158	ASCM6-15	4	ANTT30 / ANTE30 / ANTF30	4
AB135AN60	6063-T5	135	60	185	ASCM6-15	4	ANTT30 / ANTE30 / ANTF30	4



Nut and Screw

T-Nut




Part Number	Material	Compatible Frame	M	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	
ANTT20	Carbon Steel	20	5	10	10	5	4	6	
ANTT30	Carbon Steel	30, 60	6	15	15	5.7	4	7.6	
ANTT40	Carbon Steel	40, 80	8	19.5	19	9.3	6.5	8	

■ Pre-Assembly Insertion Nuts

Nuts are pre-inserted in the aluminum extrusion.

Free-Nut




Part Number	Material	Compatible Frame	M	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	
ANTF20	Carbon Steel	20	5	10	6	4.4	3.5	6	
ANTF30	Carbon Steel	30, 60	6	15	8	6	5	8.5	
ANTF40	Carbon Steel	40, 80	8	19	10	7	6	10	

■ Post-Assembly Insertion Nuts

Nuts are post-inserted in the aluminum extrusion.

Easy-Nut




Part Number	Material	Compatible Frame	M	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	F (mm.)	
ANTE20	Carbon Steel	20	5	8	14	4	4	6	3	
ANTE30	Carbon Steel	30, 60	6	11	20	7	6.8	8	5.6	
ANTE40	Carbon Steel	30, 80	8	13	22	7.5	7	8.5	7	


■ Post-Assembly Insertion Nuts

Nuts are post-inserted in the aluminum extrusion.

Built-in spring prevents slips.
Moves easily in the slot when pressed slightly by hand.




Insertion Double Joint



Part Number		Material	Compatible Frame	L	A	B	E	T	S	N	R	d	D
Type	No												
ADJA	30	SUS316 Equivalent, Sintered	30, 60	29	7.9	12	7.3	1.9	4.7	5	4.25	10.9	16.5
	40		40, 80	39	9.9	16	8	4	7.5	6	5.5	12.9	20

Hex Screw




Part Number			Thread	A	E	B
Type	M	- L				
ASCM	5	8	Full	8.5	5	4
		10				
		12				
		14				
		18				
		22				
ASCM	6	12		10	6	5
		14				
		15				
		18				
		20				
ASCM	8	22		13	8	6
		30				
		15				
		20				
		22				
		25				

Example of order:



Type	M	-	L
ASCM	6	-	12

ASCM6-12




Extrusion End Caps and Slot Cover


Extrusion End Caps




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-2020B	Black	2020	1.3	Polyamide




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-2040B	Black	2040	2.3	Polyamide




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-3030B	Black	3030	2.4	Polyamide




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-3060B	Black	3060	4.7	Polyamide




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-6060B	Black	6060	12.6	Polyamide



Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-4040B	Black	4040	5.4	Polyamide





Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-4080B	Black	4080	10.5	Polyamide




Part Number	Color	Compatible Frame	Mass (g)	Material
AEC-8080B	Black	8080	22.1	Polyamide


Slot Covers




Part Number	Color	Length (mm.)	Compatible Frame	Mass (g/m)	Material	Work Temp (°C)	
ASC20B	Black	2,000	20	14	Polyethylene	-40 ~ 80	
ASC30B	Black	2,000	30, 60	25	Polyethylene	-40 ~ 80	
ASC40B	Black	2,000	40	46	Polyethylene	-40 ~ 80	



Slot Cover20



Slot Cover30



Slot Cover40



Adjuster Pads


Adjuster Bracket M12 Set




Part Number	Material	Compatible Frame	Mass (g)	Applicable Screw and Nut			
				Screw	Q'ty	T-Nut / Easy Nut / Free Nut	Q'ty
AADJB30-M12	6063-T5	30, 60	107	ASCM6-15	2	ANTT30 / ANTE30 / ANTF30	2
AADJB40-M12		40, 80		ASCM6-20	2	ANTT40-6 / ANTE40-6 / ANTF40-6	2

Leveling Mount

ALSM (Standard Type)



ALHM (Heavy Load Type)




Part Number		Material	Load (kg)	Mass (g)	L	D	l ₁	l ₂	E	B	T	
Type	M - A											
ALSM	12 - 100	SS400 Equivalent	490	184	128	60	8	10	18	19	2	
ALHM	16 - 150		1,660	532	178		10	13		24	-	
	20 - 150		3,920	729	181		13	16		30		

Example of order:


Type M - A
ALHM16-150

Caster

Swivel Screw-in



With stopper




Part Number		M (Coarse)	Load (kg)	H	B	E	NB	NT	NL	r	Wheel Material	
Type	D											
AW AWS	50	12	40	68	21	22	19	4.8	35	49	Nylon	

Example of order:

Type	D	-	M
AW	50	-	12

AWS50-12

Double Wheels Swivel




Part Number		Load (kg)	D	H	A	B	C	E	NB	NT	NL		
Type	M (Coarse)												
AWA AWAS	12	100	60	68.5	8	49	14	17	17	6	14		
	12	150		69	10	59	17.5	17	22	8	22		
	16	170	75	84.5		64	18	20			25		

Example of order:

Type	M	-	Load
AWA	16	-	170


AWAS16-170

Wheels Swivel




Part Number	D	Load (kg)	Mass (g)	Wheel Material	Main Body Material	H	B	A	C	F	G	d	t	E	r
AWLC60	50	16	340	Special Reinforced Plastic	SPHC	68	28	70	54	54	36	6.5	2.3	25	51

Wheels Swivel



Part Number	D	Load (kg)	Mass (g)	Wheel Material	Main Body Material	H	B	d	r	t
AWLC4080	75	300	850	Reinforced Plastic	SPHC	100	40	8.8	61	3.2

Mounting Plate



Part Number	Material	A	B	t	M1	M2	D	L1	L2	L3	L4	L5	L6	L7	L8	L9	Mass (g)	
AMTP20	SS400 (Hot Rolled) Rough Finish	75	-	6	12	-	5.5	8	30	27	-	43	-	-	-	-	0.24	
AMTP30		9		16			7	13	25	31		0.65						
AMTP40							100	9	20	45							25	60
AMTPLC20		135	75	6	12	-	5.5	8	30	87	27	43	122	60	-	-	0.45	
AMTPLC30							7	13	25	87	31						43	120
AMTPLC40		166	125	9	16	6	9	20	45	86	45	60	120	61	36	54	1.03	
AMTPLC60		125	-				7	12	12	30	-	98	17	8				
AMTPLC80		150			12	20	8	9	15	15	40	-	115	9.5	9.5	63	63	2

Plate with Caster Unit (Caster with Stopper)



Part Number		Load (kg)	Mass (kg)	Component						
Type	No.			Plate	caster	Screw	Q'ty	Nut	Q'ty	
AMTCS	20	90	0.69	AMTP20	AWAS12-100	ASCM5-10	4	ANTT20	4	
	30	140	0.7	AMTP30	AWAS12-150	ASCM6-12		ANTT30		
	40	170	1.8	AMTP40	AWAS12-170	ASCM8-20		ANTT40		

Example of order:

Type	No.
AMTCS	40

Leveling Mount Unit



Part Number		Load (kg)	Mass (kg)	Component						
Type	No.			Plate	Leveling Mount	Screw	Q'ty	Nut	Q'ty	
AMTLS	20	490	0.45	AMTP20	ALSM12-100	ASCM5-10	4	ANTT20	4	
	30		0.46	AMTP30		ASCM6-12		ANTT30		
	40	1,660	1.15	AMTP40	ALHM16-150	ASCM8-20		ANTT40		
	60		1.6	AMTPLC60		ASCM6-15	8	ANTT30	8	
	80	3,920	2.5	AMTPLC80	ALHM20-150	ASCM8-25		ANTT40		

Example of order:

Type	No.
AMTLS	60

Leveling Mount + Plate with Caster Unit



Part Number		Load (kg)		Component							
Type	No.	Caster	Leveling Mount	Plate	Caster	Leveling Mount	Screw	Q'ty	Nut	Q'ty	
AMTLCS	20	90	490	AMTPLC20	AWA12-100	ALSM12-100	ASCM5-10	4	ANTT20	4	
	30	140		AMTPLC30	AWA12-150		ASCM6-12	4	ANTT30	4	
	40		1,660	AMTPLC40	AWLC60	ALHM16-150	ASCM6-12	4	ANTT30	4	
							ASCM8-20	4	ANTT40	4	
	60		AMTPLC60	ALHM16-150	ASCM6-10	4	ANTT30	4			
					ASCM6-15	8		8			
	80		290	3,920	AMTPLC80	AWLC80	ALHM20-150	ASCM8-12	4	ANTT40	8
		ASCM8-25						8			



Example of order:

Type	No.
AMTLCS	80




Door Panel and Accessories

Aluminum Hinge




Part Number	Mass (g)	A	B	A1	A2	B1	B2	(C)	D	t	R	Load (kg/pcs)	
AAHA20	27	21	25	36	7.5	47	11	5	5	3.5	5	4.9	
AAHA30	34	32	30	48	8		8.5	6	5.5		5.5	7.3	
AAHA40	53	42	37	62	10	63	13						

Pull Handle




Part Number	Color	Bolts	Mass (g)	Material
APHA	Black	M6	30	Glass Fiber Reinforced Nylon




Part Number	Color	Bolts	Mass (g)	Material
APHB	Black	M6	1.3	Polycarbonate


Magnetic Catches




Material			Mass (g)
Housing	Magnet	Bracket	
Stainless Dark Painting	Ferrite	Aluminum	35




Part Number	Panel Frame	Body Frame	Accessories
AMCA2030	20	30	1-7 included




Part Number	Panel Frame	Body Frame	Accessories
AMCA2080	20	80	1-7 included




Part Number	Panel Frame	Body Frame	Accessories
AMCA3040	30	40	1-7 included




Part Number	Panel Frame	Body Frame	Accessories
AMCA3080	30	80	1-7 included




Part Number	Panel Frame	Body Frame	Accessories
AMCA2040	20	20	1-7 included




Part Number	Panel Frame	Body Frame	Accessories
AMCA2040	20	40	1-7 included



Part Number	Panel Frame	Body Frame	Accessories
AMCA3030	30	30	1-7 included



Part Number	Panel Frame	Body Frame	Accessories
AMCA3060	30	60	1-7 included



Part Number	Panel Frame	Body Frame	Accessories
AMCA4040	40	40	1-7 included

Door Lock



Part Number	Compatible Frame	Material	Mass (g)	Screw	Q'ty	Nut	Q'ty
ASLA	20	Stainless SUS304	27	ASCM3-6	4	ANNT20 (M3)	4
	30	Stainless SUS304	27	ASCM3-8	4	ANNT20 (M3)	4

APPCON SOLUTION CO.,LTD.

42/1 Moo8 T.Klongsong A.Klongluang Pathumthani 12120

Contact : (099) 151-6688

E-mail : marketing@appcon.co.th

www.appcon.co.th